

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6889	transaction (respons! or react \$3) determin\$3 (big or bigge \$2 or large\$2) compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/22 22:12
L2	0	transaction (respons! or react \$3) determin\$3 (big or bigge \$2 or large\$2) compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:12
L3	0	transact\$3 (respons! or react \$3) determin\$3 (big or bigge \$2 or large\$2) compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:12
L4	0	transact\$3 (respons\$3 or react\$3) determin\$3 (big or bigge\$2 or large\$2) compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:12
L5	1	transact\$3 (respons\$3 or react\$3) (big or bigge\$2 or large\$2) compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:12
L6	1	transact\$3 (respons\$3 or react\$3) (big or bigge\$2 or large\$2) (undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:13
L7	1	transact\$3 (respons\$3 or react\$3) (long\$3 or big or bigge\$2 or large\$2) (undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:16
L8	6	(after or respons\$3 or react \$3) transact\$3 with (long\$3 or big or bigge\$2 or large \$2) (undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:16
L9	6	(after or respons\$3 or react \$3) transact\$3 with (length \$3 or long\$3 or big or bigge \$2 or large\$2) (undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:18
L10	22	(after or respons\$3 or react \$3) transact\$3 with (length \$3 or long\$3 or big or bigge \$2 or large\$2) (offset or undo or redo or compensat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:18

L11	20	(after or respons\$3 or react\$3) transact\$3 with (length\$3 or long\$3 or big or bigge\$2 or large\$2) near8 (offset or undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:18
L12	10	(after or respons\$3 or react\$3) transact\$3 near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2) near8 (offset or undo or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:18
L13	10	(after or respons\$3 or react\$3) transact\$3 near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2) near8 (revsers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:19
L14	174	(after or respons\$3 or react\$3) (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2) near8 (revsers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:20
L15	80	(if or after or respons\$3 or react\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2) near8 (revsers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:20
L16	93	(if or after or respons\$3 or react\$3) near8 (revsers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:21

L17	133	(if or after or respons\$3 or react\$3) near8 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:22
L18	68	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:22
L19	0	(revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3).ti. (if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:26
L20	68	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:27
L21	34	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2) and @ad<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:28

L22	43	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:29
L23	59	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2 or maximum or peak) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:32
L24	16	23 not 22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:33
L25	59	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2 or max or maximum or peak) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:40
L26	63	(if or after or respons\$3 or react\$3) near5 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near5 (length\$3 or long\$3 or big or bigge\$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:43

L27	4	26 not 25	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:43
L28	436	(if or after or respons\$3 or react\$3) with (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) with (length\$3 or long\$3 or big or bigge\$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:47
L29	161	(if or after or respons\$3 or react\$3) near8 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near8 (length\$3 or long\$3 or big or bigge\$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:49
L30	98	29 not 26	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:50
L31	3	29 not 26 and software	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 22:57
L32	93	(if or after or respons\$3 or react\$3) near8 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near3 (highest or length\$3 or long\$3 or big or bigge\$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:05

L33	99	(if or after or respons\$3 or react\$3) near8 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near3 (higher or highest or length \$3 or long\$3 or big or bigge \$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:05
L34	13	33 and (algorithm or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:15
L35	15	33 and (algorithm or software or computer near3 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:17
L36	2	35 not 34	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:17
L37	113	(if or after or respons\$3 or react\$3) near8 (revers\$3 or invers\$3 or offset or undo\$3 or redo or compensat\$3 or cancellation or cancel\$3) near5 (withdraw\$3 or deposit or transact\$3 add\$3 or subtract\$3 or divid\$3 or insert\$3 or delet\$3) near3 (higher or highest or length \$3 or long\$3 or big or bigge \$2 or large\$2 or max or maximum or peak or greater or major or jumbo) and @pd<"20040123"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:18
L38	14	37 not 33	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:19
L39	349	peak near5 cancellation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:22

L40	0	peak near5 cancellation @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:22
L41	177	peak near5 cancellation and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:23
L42	1	(software or algorithm or computer near3 program) (max or maximum or larger or largest or big or bigger or biggest or peak) near5 cancellation and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:23
L43	0	(software or algorithm or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) near5 (reversal or inversion or undo or cancellation or canceller) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:24
L44	0	(software or algorithm or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) near5 (reversal or inversion or undo or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:24
L45	0	(software or algorithm or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (reversal or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:24

L46	0	(software or algorith or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (reversal or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:24
L47	0	(software or algorith or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (reversal or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:25
L48	0	(software or algorith or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:25
L49	0	(software or algorith or computer near3 program) (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:25
L50	72	(software or algorith or computer near3 program) (transaction or action) and (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:25



L51	0	(software or algorithm or computer near3 program) (transaction or action) same (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:25
L52	0	(software or algorithm or computer near3 program) same (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	WITH	ON	2008/10/22 23:26
L53	178	(software or algorithm or computer near3 program) same (transaction or action) (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/22 23:26
L54	74	(software or algorithm or computer near3 program) (transaction or action) same (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/22 23:26
L55	29	(software or algorithm or computer near3 program) (transaction or action) with (max or maximum or larger or largest or big or bigger or biggest or peak) with (revers \$3 or inversion or undo\$3 or cancellation or canceller or cancelling) and @pd<"20030124"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/10/22 23:26

10/22/2008 11:44:22 PM

C:\Documents and Settings\jwong4\My Documents\EAST\Workspaces\copeland-b.wsp